


Application Story

Test & Measurement

Hardness testing of materials using Miniature Displacement Transducers



Precision. Quality. Reliability

www.solartronmetrology.com • sales.solartronmetrology@ametek.com

The Product

SM transducers cover two standard linear ranges from ± 1 mm to ± 3 mm. They are designed for measuring displacement in applications where infinite resolution and repeatability are required in a very small size.

The core and push rod assembly moves friction-free within the sensor, an alternative design is available where only the core, threaded at both ends, is provided. Recommended push rod material is titanium; other materials can be used, but with varying effects on the electrical characteristics.

Range: 1 or 3 mm – Linearity: Up to 0.25% of reading – Body diameter: 9.5 mm



The Challenge


Manufacturers producing mechanical testing instruments and welding machines must gather data in order to measure physical displacement. Solartron Metrology's products are suitable for this type of application due to their rugged construction and high accuracy.

Hardness testers are used to measure the density of hard alloy, carbon steel, alloy steel and non-ferrous metals. Compact dimensions of sensors were needed for ease when incorporating the sensors into the machine.



The Solution

SM probes were used to measure the physical displacement of the tool tip as it produces an indentation in the surface of the item under test. Data from the SM probe and the force sensor is then used by the CPU to calculate the hardness of the material under test. The calculated hardness reading is then displayed on the testing machine's integrated read-out.



WorldWide Sales Offices



UK Head Office and Factory

Solartron Metrology
Steyning Way
Bognor Regis
West Sussex
UK, PO22 9ST
Tel: +44 (0) 1243 833333
Fax: +44 (0) 1243 833332
Email: sales.solartronmetrology@ametek.com

France

Ametek SAS
Solartron Metrology Division
Rond point de l'épine des champs
Buroplus Bat D
Elancourt
78990
France
Tel: +33 (0) 1 30 68 89 50
Fax: +33 (0) 1 30 68 89 99
Email: Info.solartronmetrology@ametek.fr

Germany

Ametek GmbH
Solartron Metrology Division
Rudolf-Diesel-Strasse 16
40670 Meerbusch
Tel: +49 (0) 2159 9136 500
Fax: +49 (0) 2159 9136 505
Email: vertrieb.solartron@ametek.com

China

Ametek Commercial Enterprise (Shanghai) Co.,
LtdPart A1, A4 2nd Floor
Building No 1, No 526 Fute
3rd Road East
Shanghai
Pilot Free Trade Zone
200131
China
Tel: +86 21 5763 2509
Fax: +86 21 5866 0969 Ext. 261/262
Email: china.solartronmetrology@ametek.com

USA

Solartron Metrology
915 N. New Hope Road, Suite C
Gastonia, NC 28054
Tel: +1 800 873 5838
Email: usasales.solartronmetrology@ametek.com
[m](#)

Japan

Ametek-Japan
Solartron Metrology Division
Tokyo Office
Shiba NBF Tower (1F, 3F)
1-1-30, Shiba Diamon Minato-Ku, Tokyo, Japan
(P.C.105-0012)
Tel: +81 03-4520-6654
Email: Mamoru.hasegawa@ametek.com

Thailand

Ametek - Thailand
Solartron Metrology Division
No. 89/45 Moo. 15 Enterprise park
Bangna-trad road, Bangkaew, Bangplee
Samutprakarn, Thailand, 10540
Tel: +66 2 012 7500
Mobile: +66 92 087 9222
Email: hidena.tanaka@ametek.com

Solartron Metrology also carries an extensive network of sales agents in all major countries. For a local contact, go to <https://www.solartronmetrology.com/contact/contact> or email at sales.solartronmetrology@ametek.com